

Clean energy solutions with EFOY Fuel Cells and Lithium Batteries



























EFOY Fuel Cell solutions from SFC Energy
























You can find more information on our website at efoy-pro.com

SFC

Fuel Cell technologies



Extraordinarily environmentally friendly


SFC's EFOY Fuel Cells are based on two fuel cell technologies, DMFC (direct methanol fuel cell) and PEM (polymer electrolyte membrane). Our EFOY and EFOY Pro Fuel Cells are based on DMFC technology and our EFOY JUPITER Fuel Cells are based on PEM technology. At the heart of any fuel cell is the stack that is the power generating core component of the fuel cell. By feeding hydrogen and oxygen to the stack, electricity is generated through an electrochemical process called cold-combustion. As part of the process, only waste heat, water vapour and, with our DMFC fuel cells, a small amount of carbon dioxide, are generated. In the case of our EFOY and EFOY Pro Fuel Cells, methanol


is fed to the fuel cell stack where hydrogen is extracted from the methanol as part of the electrochemical reaction (direct methanol fuel cell technology). Pure methanol is supplied in SFC's patented fuel cartridges specifically design for use with our EFOY and EFOY Pro Fuel Cells. Commercially available hydrogen cylinders are used to supply our EFOY JUPITER Fuel Cells with pure hydrogen. EFOY Fuel Cells work completely automatically, quietly and are environmentally friendly. They can be installed in concealed and tamper-proof cabinets and will reliably produce electricity independently of the weather. This is an exceptionally environmentally friendly way to produce energy.



Direct methanol technology

EFOY direct methanol fuel cells charge batteries completely automatically. The integrated charge controller permanently monitors the charge status of the battery. When required, the EFOY Fuel Cell is started automatically and turned off again when the battery has been charged. In this way, batteries last significantly longer, since the controlled charging protects them from harmful deep discharges. This means long self sufficiency without user intervention for your application.





Hydrogen technology

The EFOY hydrogen fuel cell serves as a back-up power supply solution and as an emergency power supply system ensures the uninterrupted power supply for your application in case the power fails. The hydrogen fuel cell starts to operate as soon as the battery voltage falls below a threshold value and takes over the power supply to your application.





EFOY Fuel Cells for professional users

EFOY Fuel Cells are the ideal power generators for a wide range of stationary and mobile applications. They generate electricity reliably for weeks and months without user intervention. The EFOY direct methanol fuel cells are available as EFOY and EFOY Pro models with an output of up to 500 W depending on the power requirements and user requirements. Our EFOY and EFOY Pro models are designed for different application purposes. The EFOY models are designed for temporary applications with low operating hours and

are used as a back-up power supply for grid-connected or solar-powered hybrid installations. The EFOY Pro series is ideal for continuous operation and can also be used in hybrid operation. You can operate your application completely autonomously with the EFOY Pro, compensate for low solar output and use smaller solar modules. The EFOY JUPITER hydrogen fuel cell serves as a back-up power supply solution and ensures the power supply in case the power fails.

EFOY 80 EFOY 150 EFOY Pro 900 Max. output 1 40 W 75 W 42 W 12/24 V DC 12/24 V DC Nominal voltage 6.9 kg / 15.2 lbs Weiaht 6.5 kg / 14.3 lbs 6.5 kg / 14.3 lbs Dimensions² 448 x 198 x 275 mm / 448 x 198 x 275 mm / 17.6 x 7.8 x 10.8 in $(L \times W \times H)$ 17.6 x 7.8 x 10.8 in Connectable 1 (up to 8 with 1 (up to 8 with fuel cartridges / gas EFOY Fuel Manager) EFOY Fuel Manager) cylinders -20 °C to +40 °C / -20 °C bis +50 °C / Operating -4 °F to +104 °F -4 °F to +122 °F temperature

Temporary applications

75 W

Methanol in EFOY fuel cartridges

40 W

Continuous operation

42 W

Methanol in EFOY fuel cartridges

Operating materials

Performance classes

of the EFOY fuel cells

¹ The output power decreases with the number of operating hours.

Advantages



100% reliable



Autonomous, low maintenance



Environmentally friendly and quiet



Lightweight and compact



Remote surveillance



Reduced operating costs

Which EFOY is the right one for me?

Use our energy calculator to determine the model that suits your needs.

efoy-pro.com/energy-calculator

You can find extensive technical details at efoy-pro.com

EFOY Pro 1800

EFOY Pro 2800

EFOY Pro 12000 Duo

EFOY JUPITER 2.5









82 W	125 W	500 W	2500 W
12/24 V DC		24/48 V DC	48 V DC
7.2 kg / 15.9 lb	7.8 kg / 17.2 lbs	32 kg / 70 . 5 lbs	27 kg / 59 . 5 lbs
448 x 198 x 275 mm / 17.6 x 7.8 x 10.8 in		640 x 441 x 310 mm / 25.2 x 17.4 x 12.2 in	536 x 483 x 311 mm / 21.1 x 19 x 12.2 in
1 (up to 8 with EFOY Fuel Manager)		2 (up to 4 with DCS1)	The system has a connection. Several H ₂ gas cylinders can be connected to each other.
-20 °C bis +50 °C / -4 °F to +122 °F		-20 °C bis +50 °C / -4 °F to +122 °F	-33°C to +50°C / -27.4°F to 122°F
Methanol in EFOY fuel cartridges		Methanol in EFOY fuel cartridges	Hydrogen
82 W	125 W	3 kW	50 kW

Continuous operation

For better performance

 $^{^{\}rm 2}\,$ Dimensions without 19" frame. | All technical data under test conditions of 20°C.

Accessories and control tools



Utilise the various control options for EFOY Fuel Cells.

Operate the EFOY on site via a control panel or remotely from your laptop, smartphone or tablet. The EFOY accessories allow you to monitor your fuel cells around the clock, to incorporate them into an existing communication network and extend the self sufficiency of your systems.

Remote monitoring with EFOY Cloud

EFOY Fuel Cells are often used in remote locations and require the option of secure remote access. The EFOY Cloud gives you access to your methanol fuel cells from anywhere so you can monitor continuous operation via laptop, tablet or smartphone. All you need for this is an Internet connection to your fuel cells.

You can, for example, track the current operating status of each of your fuel cells, historical data or fill levels of the EFOY fuel cartridges. If necessary, configure battery parameters and receive the firmware updates completely automatically. The integrated alarm management informs you, for example, by email of upcoming fuel cartridge replacements or a battery voltage that falls below the threshold.

Extend the self sufficience with the EFOY Fuel Cartridges Manager

The Fuel Manager (FM) allows you to operate several EFOY fuel cartridges with one EFOY. Depending on the model, two, four or eight fuel cartridges can be simultaneously connected. The Fuel Manager automatically switches from the empty one to the next full fuel cartridge and ensures a long self sufficiency without user intervention.

Example of an application with continuous 50 W (without solar energy support)

Fuel cell + FM	Fuel cartridges	Self sufficiency
EFOY Pro 1800	1x M28	26 days
EF0Y Pro 1800 + FM2	2x M28	52 days
EFOY Pro 1800 + FM4	4x M28	104 days
EFOY Pro 1800 + FM8	8x M28	208 days

Control and configuration via control panel or the EFOY app

The control panel in the EFOY makes it possible to easily operate the EFOY and the EFOY Pro Fuel Cell. With just a few clicks, you can view information about the current operation of the fuel cell, such as the average charge duration, the battery voltage, the current charging current as well as the fuel cartridge fill level. Battery parameters can always be adapted to special requirements. You can also access this data via Bluetooth or your EFOY app. All you need to do this is the EFOY Bluetooth adapter.



Optional accessories for EFOY and EFOY Pro1



EFOY Fuel Manager (FM)

The EFOY Fuel Manager makes it possible to operate 2, 4 or 8 fuel cartridges. Not compatible with EFOY Pro 12000 Duo.



DuoCartSwitch DCS1

The DCS1 DuoCartSwitch allows the operation of up to four fuel cartridges. Only compatible with EFOY Pro 12000 Duo.



Fuel cartridge sensor

The fuel cartridge sensor is used to measure the methanol level in the fuel cartridge. It will indicate when the fuel cartridges need to be changed.



Modem/Router

The modem and router are used for remote monitoring of the EFOY Pro Fuel Cells.



EFOY Bluetooth Adapter

The EFOY Bluetooth adapter makes it possible to control the fuel cells via the EFOY app. Not compatible with the EFOY Pro 12000 Duo.



M28 Adapter

An interim attachment is used to connect the M28 fuel cartridges to the fuel cell or to the Fuel Manager.

¹ Please note that not all accessory parts are compatible with all fuel cells. If you have any questions, feel free to contact up

²Example

EFOY

Lithium Batteries

The EFOY Lithium Battery is the ideal way to start using an off-grid power supply. The smart Battery Management System (BMS) continuously controls the battery parameters in order to optimise the battery's efficiency and to protect it. Thanks to the built-in heating element, the EFOY Lithium Battery can be charged even at temperatures below zero.

Advantages

- High discharge current
- Suitable for the winter
- Battery Management System



The ideal job for the EFOY Lithium Battery

The smart Battery Management System

The smart EFOY BMS ensures that the parameters of the EFOY Lithium Battery are controlled and optimised fully automatically. In this way, the battery is ideally protected from overcharging and deep discharge.

The ideal battery for cold temperatures

The EFOY Lithium Battery works even at low temperatures. Commercially available lithium batteries cannot be charged in cold temperatures. Thanks to the built-in heating element, it can also be charged even in temperatures down to -20°C.

Splash-proof

The EFOY Lithium Battery is protected against splash water, making it ideal for extreme ambient requirements.

Ideal for high peak loads

Heavy consumers often stress a battery with high peak currents. The EFOY Lithium Battery is ideally designed for such consumers.

Safe LiFePO4 technology


We rely on the proven and safe lithium iron phosphate technology (LiFePO $_{\Delta}$).

High energy capacity with a low weight

Compared to conventional lead batteries, the EFOY Lithium Battery has a high energy capacity with a low weight. In addition, it can be 100% discharged.

Battery	EFOY Li 70	EFOY Li 105	
Technology	Lithium iron phosphate		
Nominal voltage in V	12.8 V		
Capacity in Ah	70 Ah	105 Ah	
Comparable capacity of a lead battery	140 Ah	210 Ah	
Max. discharge current/contr.	230 A / 70 A	300 A / 105 A	
BMS	Integrated		
Protection class	IP 44		
Operating temperature	-20°C to 60°C / charging up to 45°C		
Connection	M8 / vehicle crocodile clip		
Dimensions (L × W × H)	268 x 175 x 190 mm / 10.6 x 6.9 x 7.5 in	368 x 175 x 190 mm / 14.5 x 6.9 x 7.5 in	
Weight	11.8 kg	16.3 kg	
Interfaces	2x RJ 12: SFC bus and EFOY Bluetooth adapter BT2		





Extensive technical details can be found on our website at efoy-pro.com

EFOY Pro energy solutions

As a system solutions provider, SFC Energy is constantly working to develop complete solutions for various requirements. EFOY Pro energy solutions combine power generation via EFOY Pro Fuel Cells and energy storage with batteries in a suitable housing. There is still sufficient space for customer-specific adaptations.

You can find an overview of all EFOY ProCabinel models on our website at efou-pro.com/cabinel-en



Stationary energy solutions

EFOY ProCabinet

EFOY ProCabinets are a complete energy solution for outdoors for an autonomous, stationary power supply with EFOY Pro Fuel Cells – entirely without a mains connection. The complete, stationary energy solution consists of a control cabinet, which offers room for an EFOY Pro, batteries, solar charging control, as well as one or more fuel cartridges depending on the application. Different types of charge controllers, a modem for remote monitoring or a voltage converter can optionally be installed. EFOY ProCabinets are ideal, for example, for standalone operation or as a back-up solution for an uninterruptible power supply (UPS).





Mobile energy solutions

SFC XCase

The SFC XCase is a mobile case solution, which can easily be transported by one person. As a complete solution, it is based on an EFOY Pro 2400 fuel cell as well as fuel cartridge and battery built into robust cases. The sturdy housing and fast setup process means that the XCase is ready for use at any time and in any location, regardless of the weather. The compact solution is also well-suited for undercover operations and ensures long self sufficiency without user intervention.



nance-free complete solution for off-grid power supplies— instantly ready for use at all times and in any location. The box is suitable for outdoor use and is pre-configured so it can be customised to your requirements by selecting the relevant size of EFOY Pro, fuel cartridge and battery. The EFOY ProCube is available in two designs with room for one or two M28 fuel cartridges. The EFOY ProCube can be used temporarily, e.g. on construction sites, or permanently in hard-to-access areas. This complete energy solution is perfect for applications outdoors.



You can find an overview of all energy solutions on our website at efoy-pro.com/energy-solutions



Mobile energy solution




EFOY ProTrailer

The EFOY Pro Fuel Cell, with up to four solar modules, is integrated in the EFOY ProTrailer. The hybridisation of fuel cell and solar modules combines these two power generators in a cost-effective way. If sufficient power is no longer generated via the solar panel, for example, in bad weather, during winter or in the shade, the fuel cell will turn on automatically to take over the power supply. This saves operating costs. As with all EFOY Pro energy solutions, the new EFOY ProTrailer offers extremely long periods of autonomy without any need for user intervention and it can be configured to suit the customer's requirements.



Customer-specific Solutions

The energy solution for specific requirements



EFOY JUPITER Fuel cells

The hydrogen fuel cell for higher power ranges

The EFOY JUPITER hydrogen fuel cell supplements the comprehensive product range of SFC Energy with energy solutions in the higher power range. Power output from 2.5 to 50 kW can be individually scaled. The operation and installation are very simple and no emissions are generated. That is why the EFOY JUPITER Fuel Cell can also be used in environmentally sensitive areas and is very quiet and efficient.

EFOY JUPITER 2.5

Output power ¹	2,500 W
Nominal voltage	48 V DC
Weight	27.0 kg
Operating materials	Hydrogen 3.0
Nominal consumption H ₂	56 g / kWh
Air temperature ²	-33°C to +50°C
Dimensions (LxWxH)	536 × 483 × 311 mm
Operation	Remote Monitoring Tool
Data interface	CAN bus



Emergency power supply of critical infrastructures

Critical infrastructures depend on a reliable power supply. A reliable emergency power system is of critical importance especially when using modern information and communication technology, such as for authorities and organisations with security tasks (emergency services). An effective, broadband communication between the scene and situation centres is necessary for an optimised and realistic assessment of the situation. Conventional battery solutions make it very difficult to ensure long operational reliability for several days.

EFOY JUPITER Fuel Cells are already in use in many locations to provide backup power. The fuel cell modules switch on completely automatically and take over the load no later than 20 seconds after the power fails. Compared to solutions with diesel generators, no CO_2 emissions are generated here. Another advantage of the EFOY JUPITER Fuel Cell is the low maintenance effort as well as the low ageing tendency in standby mode. This ensures system availability for long periods of time.

Only achievable at supply air temperatures of < 30°C and < 1,000 hours of operation</p>

Base load of 1,000 W for minimum air temperature required



The EFOY JUPITER Cabinet is in particular used as an emergency power system. Several EFOY JUPITER Fuel Cell modules can be combined in the control cabinet with a total output of 50 kW. The Master Control Unit (MCU) serves as a controller of the EFOY JUPITER Fuel Cells and continuously monitors the energy solution. In addition, the fuel cell can be remotely monitored via a web interface.

H ₂ cylinders	6x 50 l (300 bar) H ₂ cylinders	12x 50 l (300 bar) H ₂ cylinders
Operating time	43 hours @ 2.5 kW	86 hours @ 2.5 kW
Normal capacity	 108 kWh	216 kWh

For more EFOY JUPITER energy solutions, visit efoy-pro.com/efoy-jupiter-en

Reference applications for professional users

"Cameras on construction sites contribute to traffic safety. With mobile solutions, the cameras can be relocated in a short space of time to keep an eye on what's happening on the construction site at all times. With an autonomous power supply for mobile camera systems, you are independent of the power grid and flexible in the positioning of the cameras."

Ulrich Haspel, Bayerische Straßenbauverwaltung




Traffic engineering

Challenge

Reliable power supply for temporary construction site management systems, trailer-based installations, such as LED displays, off-grid traffic control systems on highway bridges and mobile applications, such as traffic counters, radar systems or video/web cam monitoring.

- **(** EFOY Pro 900
- **C** EFOY ProCabinet 2020S
- 2x M10 fuel cartridges
- Fuel Manager FM2
- 30 days of self sufficiency @ 30 W





"EFOY Pro Fuel Cells supply monitoring stations around volcano peaks with power so they can predict eruptions and therefore save human lives. These stations are located at up to 3,000 m above sea level and prove the EFOY Pro's reliability under extreme conditions. The remote monitoring allows us to monitor the status of the fuel cell. Downtime is minimised and the long self sufficiency saves us helicopter flights and therefore operating costs."

Marco Levi, Hydro2Power SRL



Challenge

Ensuring the power supply on-board official and measuring vehicles while implementing stationary checks. The comprehensive technology in the vehicles requires a high energy demand that pushes the on-board or second battery to its limit. Without an additional power supply, the only way to cover the energy demand to date was to have the vehicle engine running.

Solution

- **(**b) EFOY 150 or EFOY Pro 1800
- 1x M10 fuel cartridges
- Up to 30 days of self sufficiency @ temporarily 70 W



"The EFOY Pro fuel cells ensure the perfect supply of energy to our inspection vehicles while on-site inspections are being carried out."

Ralf Mülhausen, Bundesamt für Güterverkehr

(BAG = German Federal Office for Goods Transport)

"GEOFIT uses EFOY Pro Fuel Cells for the real-time measurement of earth and structure movements. We chose this solution to be able to work in all areas where there is no option to connect to the mains power supply. The EFOY Pro energy solution is easy to transport and our own technicians can set them up manually. This makes it possible to also perform very short-notice measurement campaigns and to track the progress of construction work."

Alexandre Toubois, GEOFIT




Reliable data acquisition and transmission

Challenge

Ensuring an uninterrupted power supply for off-grid locations without solar support to seamlessly record data of water levels, noise emissions, weather and climate data or seismic movements.

- **C** EFOY Pro 900
- **U** EFOY ProCube 2030A
- 2x M10 fuel cartridges
- **t** Fuel Manager FM2



"During the expedition, we were only able to access our remote sites at infrequent intervals, but through remote monitoring we could ensure that operations were maintained at these sites. Importantly, due to the COVID-19 pandemic, our research vessel and all research personnel had to leave the sea ice for more than a month. During this time, the EFOY Pro kept our systems continuously running during a very important time, allowing our ASFS to capture the important transition that occurs during the onset of the summer melt season."

Matthew Shupe, Senior Research Scientist,

National Oceanic and Atmospheric Administration (NOAA), Boulder, Colorado



Measurement stations for recording environmental data

Challenge

The seamless recording of environmental data at off-grid locations requires a reliable and weather-independent power supply. This requires an addition or alternative to the weather-dependent solar power to be able to seamlessly record data regarding noise emissions, water levels, seismic movements as well as weather and climate data.

- **(** EFOY Pro 2800
- **L** EFOY ProEnergyBox 4060P
- 2x MT60 fuel cartridge
- **b** Fuel Manager FM2
- **6**0-90 days autonomy @ 60-100 W





Challenge

An uninterruptible, off-grid power supply for stationary applications and for monitoring critical infrastructures. This includes video monitoring systems for construction sites, railway crossings, for observing wildlife, as well as for monitoring and securing public places and gatherings.



Solution

- **U** EFOY Pro 1800
- 2x M10 fuel cartridges
- **U** Fuel Manager FM2
- 250 Wp Solar
- **b** 16 days of self sufficiency @ 60 W

"There are many innovative solutions and technologies for surveillance on the market. However, without power, these solutions are useless. A reliable power source is the key to success."

Ken Pereira, CEO Oneberry Technologies

"Modern Resources has committed to working in an environmentally friendly manner. That is why we chose to use the EFOY Pro Fuel Cells in hybrid operation with solar, because this is the best and most sustainable option to ensure a reliable power supply for our application year-round. The EFOY Pro works reliably and autonomously year-round, even under harsh winter weather conditions. The minimum effort changing fuel cartridges and the extremely low CO, emissions make the EFOY Pro the most efficient and environmentally friendly choice."

James Martin, Operations Manager, Modern Resources, AB, Canada



Oil & gas applications

Challenge

The power supply for critical loads in remote locations in the oil and gas sector as well as mining is a challenge and requires a reliable power source that works autonomously for long periods of time. Whether for SCADA & telemetry, valve actuation, leak detection, telecommunication or CCTV, the power supply needs to work reliably with minimum user intervention for the whole year, since many of these locations are inaccessible for long periods of time due to weather conditions.

- EFOY Pro 2800
- **(b)** EFOY ProCabinet 4120SX
- 4x M28 fuel cartridges
- **U** Fuel Manager FM4
- **4**x 410 Wp Solar
- 12 months of self sufficiency @ 100 W





Challenge

To increase safety in road and rail traffic, a reliable power supply independent of weather conditions must be ensured.

The systems that promote safety include, for example, road weather stations to detect black ice, stationary and mobile radar cameras to enforce speed limits, temporary construction site and traffic control systems, traffic counting systems as well as off-grid applications, such as points and signalling technology with multiple, short power peaks per day.

b Fuel Manager FM4

EFOY ProCabinet 2130A

4x M28 fuel cartridges

EFOY Pro 2800


Solution

60 days of self sufficiency @ 90 W

"Places with an increased danger of accident are usually located outside of populated areas and are therefore far away from the power grid. EFOY Pro Fuel Cells have proven to be the ideal solution both for the permanently stationary or mobile flexible operation of our traffic monitoring systems. The EFOY Pro ensures our technology is powered and quietly and reliably contributes to increased safety in road traffic."

Dominik Schöner, Managing director of DMT Digitale Verkehrsmesstechnik





network is just as important to operate a modern mine as is the mining equipment itself in order to increase productivity, lower maintenance costs and increase safety. Since mines largely use autonomous vehicles, supplying critical communication loads in the most difficult and remote environments requires a reliable solution that can operate autonomously for long periods of time. No matter whether it is a mobile communication and video monitoring trailer that moves when the mine's terrain continues to change or a fixed communication repeater tower. The power supply needs to be 100 per cent ensured in order to avoid extremely costly equipment failures.

- 2x EFOY Pro 2800
- EFOY ProTrailer 4120T
- 4x M28 fuel cartridges
- 2x Fuel Manager FM2
- 4x 410 Wp Solar
- 12 months of self sufficiency @ 125 W





"Communication on British Columbia's northern coast can be a challenge. The elements in this mountainous region can take its toll on the communication systems. Thanks to our decades of experience in this region, we are used to these unique challenges and using the EFOY Pro Fuel Cells in a hybrid combination with solar power was the best and most environmentally friendly solution to ensure operation year-round. We chose this solution, because it can work autonomously and reliably year-round, even in wintry weather conditions, with minimum effort required."

Rob Dykman, Managing director, Coast Mountain Wireless, BC, Canada

"In the medium to long-term, fuel cells are more cost effective compared to other energy sources. Capable of being fully integrated and therefore protected from the outside environment, fuel cells are maintenance-free and convince with very predictable operating times."

Vegar Neshaug, Product Manager, SEAWATCH Wind LiDAR Buoy



Wind measurement systems

Challenge

A reliable power supply for the seamless data acquisition of wind profiles with LiDAR and SoDAR devices to evaluate possible on-shore and off-shore wind farm investments and locations.

- 4x EFOY Pro 2800
- **b** 16x M28 fuel cartridges
- 4x Fuel Manager FM4
- 4x50 Wp Solar
- Up to 5 months of self sufficiency @ 100 W





"The biggest advantages are maximum safety and the fact that complex and constant re-fuelling with diesel is avoided. In winter, in particular, it can get very expensive, if there is a lot of snow and a helicopter is needed to reach the site."

Andrea Comuzzi, CALZAVARA SpA



Challenge

Weather-independent and reliable power supply of off-grid applications, such as transmitter stations, repeater stations or points and signalling technology with multiple short power peaks per day. Power supply for a local micro-grid and closing supply gaps in remote, rural areas where the power demand cannot be reliably covered with solar modules.

- **C** EFOY Pro 12000 Duo
- **C** EFOY ProCabinet 2260A
- 2x MT60 fuel cartridges
- **4** 3,600 Wp Solar
- **(b)** 12 months of self sufficiency @ 400 W

"The JUPITER Fuel Cell has proven itself under the harshest of conditions in the tests.

Our fully-integrated control cabinet solutions with remote monitoring are self sufficient for months on end and have already been successfully in use in numerous radio systems.

The fact that several federal states have chosen our hydrogen fuel cells in connection with the reliable emergency power supply for their critical infrastructures proves the advantages and performance capability of this environmentally friendly, innovative technology."

Hartmut Kordus, Managing director of adKor GmbH




Telecommunications infrastructures

Challenge

Ensuring an emergency power supply for critical infrastructure systems, such as wireless alerting networks of authorities and organisations with safety tasks (emergency services) for at least 72 hours, radio masts, control centres in traffic engineering or energy supply.

- 2x EFOY JUPITER 2.5
- **C** EFOY JUPITER Cabinet
- 12x H₂ cylinders (50 l, 300 bar)
- > 72h self sufficiency @ 3 kW



Which EFOY is the right one for me?

Use our model check to determine the model that suits your needs. my-efoy.com/model-check

Advantages of the EFOY Fuel Cells



Compact and lightweight



Fully automatic and maintenance-free




Environmentally friendly and quiet


EFOY Fuel Cells in the leisure sector

The EFOY 80 and 150 are practical power generators in motor homes, boats and cabins and offer complete independence from the power grid. Once installed, the EFOY Fuel Cell completely automatically recharges 12 and 24 V on-board batteries. You can enjoy your holiday undisturbed thanks to the environmentally friendly and quiet functionality. The EFOY Fuel Cells charge all common types of batteries. You get the most efficient solution with the EFOY Hybrid Power, which is a perfectly coordinated powerhouse, consisting of an EFOY Fuel Cell and EFOY Lithium Battery.

Your freedom. Your power.

The perfect power supply for any need.









Control of the EFOY

You can easily control your EFOY from your smartphone/tablet via the EFOY app. Just plug the EFOY Bluetooth adapter into the fuel cell. The app will give you an overview of all of the information regarding your fuel cell and the battery, such as the fill level of the fuel cartridge or the daily consumption.



Apple App Store



Google Play Store

You can find technical data on our website at my-efoy.com

EFOY fuel cartridges

EFOY direct methanol fuel cells from SFC are operated using methanol. The methanol is stored in EFOY fuel cartridges that have been designed especially for this purpose. Depending on requirements, EFOY fuel cartridges are available in 5, 10, 28 and 60 litre capacities. High-purity methanol is needed to reliably operate the EFOY Fuel Cells. To ensure compliance with the strictest safety standards, each filling operation is supervised by SFC quality management. Only when original EFOY fuel cartridges are used, can the maximum operating life of the fuel cell be guaranteed.

According to the CLP Regulation, methanol is categorised as a poisonous and easily flammable substance. You can find more information in the safety data sheets in the download area of our website efoy-pro.com/downloads-en



The EFOY fuel cartridge	M5	M10	M281	MT60
Contents	5 litres	10 litres	28 litres	60 litres
Weight	4.3 kg	8.4 kg	23.4 kg	55 kg
Nominal capacity	5.6 kWh	11.1 kWh	31.1 kWh	66.7 kWh
Size (L x W x H)	190 x 145 x 283 mm	230 x 193 x 318 mm	370 x 285 x 395 mm	340 x 390 x 670 mm
Autonomy @ 50 W	111 hours	222 hours	622 hours	1,333 hours

¹ M28 adapter required

High energy density

The high energy density of methanol provides a lot of energy in a very small space with EFOY fuel cartridges. 10 litres of methanol has a capacity of 11.1 kWh of energy and weighs just 8.4 kg. To deliver the same quantity of energy, around 280 kg of lead-gel batteries would be needed. As a result, the autonomy of your off-grid application can be increased many times.

Safety-tested

EFOY fuel cartridges have been designed to meet the strictest safety standards and have received UN approval for transportation by sea, road and air. Their design ensures that the user is never at risk of coming into contact with their contents.

Global fuel cartridge logistics

SFC has established a global logistics network for the sale of EFOY fuel cartridges. EFOY fuel cartridges are available from SFC retailers worldwide. EFOY fuel cartridges can also be transported on pallets via road, sea and air.



SFC Energy

SFC Energy AG is a leading supplier of hydrogen and direct methanol fuel cells for stationary and mobile hybrid power supply solutions. With over 50,000 fuel cells sold worldwide to date, we are a sustainably profitable fuel cell producer. With continuous investments in research and development, we are constantly working towards further expanding our technology leadership for mobile and off-grid energy solutions. Our fuel cells are 'made in Germany' and are developed and produced at the head office in Brunnthal near Munich. Additional offices are located in the Netherlands, Romania and Canada. As a company, SFC has over 20 years of experience in developing, producing and selling fuel cells. SFC therefore stands for off-grid, environmentally friendly fuel cell solutions with the highest quality standards and the best service.

in excess of

50,000

fuel cells sold

Germany
Canada
The Netherlands
Romania



Which EFOY is the right one for me?

the model that suits your needs.



We look forward to hearing from you

SFC Energy AG | Eugen-Sänger-Ring 7 85649 Brunnthal, Germany sales@sfc.com | efoy-pro.com +49 89 673 592 555

SFC Energy Ltd. Unit 160, 5730-80th Avenue SE Calgary, Alberta, Canada T2C 5T9 service-support@sfc.com | sfc-energy.ca +1-800-565-7431

SFC Energy Partner